
Author Index to Volume 24

Abou-Dilla, M.S. and M.A. ricial, boundary		merical approach using DQFEM and di-	
integral method applied to the transient,		rect time integration with accelerated	
nonlinear wave propagation in a fluid with		equilibrium iteration schemes	24 (2000) 637
initial free surface elevation	24 (2000) 535	Chen, JS., see Liao, CM.	24 (2000) 131
Al-Tassan, K., see Malmborg, C.J.	24 (2000) 95	Chen, JW., see Liao, CM.	24 (2000) 27
Antony, S.J. and K. Chandrashekhara, Ring		Chen, JW., see Liao, CM.	24 (2000) 131
plate on a transversely isotropic elastic		Cho, B.R., see Phillips, M.D.	24 (2000) 327
halfspace	24 (2000) 55	Christo, F.C., see Fletcher, D.F.	24 (2000) 165
Atay, F.M., Magnetic saturation and steady-		Cloutier, G., see Mayer, J.R.R.	24 (2000) 943
state analysis of electrical motors	24 (2000) 827	Cross, M., see Fallah, N.A.	24 (2000) 439
Atwood, C.L., see Dahl, D.A.	24 (2000) 771		
		Dahl, D.A., C.L. Atwood and R.A. LaViol-	
Bailey, C., see Fallah, N.A.	24 (2000) 439	ette, A random-walk pseudorandom byte	
Bekkey, C. and R. Djellouli, An integral		generator	24 (2000) 771
method to compute guided modes of an		Das, A., A.B. Roy and P. Das, Chaos in a	
optical coupler in the vectorial case	24 (2000) 697	three dimensional neural network	24 (2000) 511
Bernard, R.S., R.S. Maier and H.T. Falvey, A		Das, P., see Das, A.	24 (2000) 511
simple computational model for bubble		Dass, A.K., see Kalita, K.	24 (2000) 815
plumes	24 (2000) 215	Dewan, A., see Kalita, K.	24 (2000) 815
Blackburn, H.M., J.R. Elston, D.A. Niclasen,		Di Martino, B., see Bosseur, F.	24 (2000) 73
M. Rudman and J. Wu, A hybrid method		Djellouli, R., see Bekkey, C.	24 (2000) 697
for simulation of axial flow impeller dri-		Dong, P., see Zhang, K.	24 (2000) 495
ven mixing vessels	24 (2000) 795		
Bosseur, F., B. Di Martino and P. Orenga,		Ebrahimi, M., see Whalley, R.	24 (2000) 247
Resolution by Galerkin method with a		Elston, J.R., see Blackburn, H.M.	24 (2000) 795
special basis of a geophysical flow in open			
sea: a Calvi's bay simulation	24 (2000) 73	Fallah, N.A., C. Bailey, M. Cross and	
*		G.A. Taylor, Comparison of finite ele-	
Çağlar, M., Simulation of homogeneous and		ment and finite volume methods applica-	
incompressible Cinlar flows	24 (2000) 297	tion in geometrically nonlinear stress	
Caldwell, J. and CC. Chan, Spherical soli-		analysis	24 (2000) 439
dification by the enthalpy method and the		Falvey, H.T., see Bernard, R.S.	24 (2000) 215
heat balance integral method	24 (2000) 45	Fan Jiashen and Fan Lei, Asymptotic solu-	
Cao, Y.J., L. Jiang and Q.H. Wu, An evolu-		tions for mode II dynamic rupture with	
tionary programming approach to mixed-		nonlinear damping	24 (2000) 407
variable optimization problems	24 (2000) 931	Fan Lei, see Fan Jiashen	24 (2000) 407
Castro, J. and M. Ostoja-Starzewski, Particle		Farouk, M.I. and I.M. Smith, Design of hy-	
sieving in a random fiber network	24 (2000) 523	draulic structures with two intermediate	
Chan, CC., see Caldwell, J.	24 (2000) 45	filters	24 (2000) 779
Chandrashekhara, K., see Antony, S.J.	24 (2000) 55	Fayala, F., see Zeng, X.	24 (2000) 969
Chen, BC., see Liao, CM.	24 (2000) 27	Fletcher, D.F., B.S. Haynes, F.C. Christo and	
Chen, CN., Efficient and reliable solutions		S.D. Joseph, A CFD based combustion	
of static and dynamic nonlinear structural		model of an entrained flow biomass gasi-	
mechanics problems by an integrated nu-		fier	24 (2000) 165

Flatakan D.F. and Joshan M.	24 (2000) 690	Valida W. A. Davisa and A.V. Davis Com	
Fletcher, D.F., see Jazbec, M.	24 (2000) 689	Kalita, K., A. Dewan and A.K. Dass, Com- putation of the turbulent plane plume	
Founti, M.A., see Liakos, H.H.	24 (2000) 419	using the $k - \epsilon - t^2 - \gamma$ model	24 (2000) 915
Gharbi, R.B., see Smaoui, N.	24 (2000) 657	Karkoub, M., see Zribi, M.	24 (2000) 815 24 (2000) 881
Gray, W.J., P.P. Wang and M. Scott, A va-	24 (2000) 037	Ke, JC., see Wang, KH.	24 (2000) 881
cation queueing model with service		Kiranoudis, C.T., see Papakonstantinou,	24 (2000) 077
breakdowns	24 (2000) 391	K.A.	24 (2000) 477
Grondin, F., see Hébert, F.	24 (2000) 677	Kocak, S. and Y. Mengi, A simple soil-	21 (2000) 111
	_ ((,) ,	structure interaction model	24 (2000) 607
Hadji, L. and M.A.R. Sharif, Penetrative		Kuang, C.P., see Lee, J.H.W.	24 (2000) 263
convection in a horizontal layer of sea-		Kulkarni, S.S. and R. Pratap, Studies on the	
water near its freezing point	24 (2000) 733	dynamics of a supercavitating projectile	24 (2000) 113
Haque, A., see Sarker, R.	24 (2000) 751	Kuo, CC., see Wang, KH.	24 (2000) 957
Haynes, B.S., see Fletcher, D.F.	24 (2000) 165		
Haynes, B.S., see Jazbec, M.	24 (2000) 689	Lai, GZ., see Li, Y.S.	24 (2000) 551
Hearn, C.J. and B.J. Robson, Modelling a		Lau, HS., see Zhou, YW.	24 (2000) 761
bottom diurnal boundary layer and its		LaViolette, R.A., see Dahl, D.A.	24 (2000) 771
control of massive alga blooms in an		Lee, J.H.W., C.P. Kuang and K.S. Yung,	
estuary	24 (2000) 843	Analysis of three-dimensional flow in a	
Hébert, F., F. Grondin and J. Plaice, Math-		cylindrical sediment oxygen demand	
ematical modeling of curve sawing tech-		chamber	24 (2000) 263
niques for lumber industry	24 (2000) 677	Li, TY., see Hsu, PT.	24 (2000) 235
Helal, M.A., see Abou-Dina, M.S.	24 (2000) 535	Li, Y.S., SX. Liu, YX. Yu and GZ. Lai,	
Hill, J.M., M.J. Jennings, D. Vu To and K.A.		Numerical modelling of multi-directional	
Williams, Dynamics of an elastic ball		irregular waves through breakwaters	24 (2000) 551
bouncing on an oscillating plane and the		Liakos, H.H., M.A. Founti and N.C. Mar-	
oscillon	24 (2000) 715	katos, Modelling of stretched natural gas	
Hsu, PT., SG. Wang and TY. Li, An in-		diffusion flames	24 (2000) 419
verse problem approach for estimating the		Liao, CM., BC. Chen, MC. Lin and JW.	
wall heat flux in filmwise condensation on		Chen, An optimal trace zinc biomonitor	
a vertical surface with variable heat flux	24 (2000) 225	(Haliotis diversicolor supertexta) control	24 (2000) 27
and body force convection Huang, L., see Zribi, M.	24 (2000) 235	system design in aquacultural ecosystems	24 (2000) 27
Huseyin, K., see Zhang, W.	24 (2000) 881 24 (2000) 279	Liao, CM., JS. Chen and JW. Chen, Dynamic model for predicting dust-borne	
Huseym, R., see Zhang, W.	24 (2000) 279	odour concentrations in ventilated animal	
Ibrahim, I.H., see Ismail, G.A.F.	24 (2000) 437	housing	24 (2000) 131
Ilegbusi, O.J. and M.D. Mat, A comparison	21 (2000) 137	Lin, MC., see Liao, CM.	24 (2000) 27
of predictions and measurements of kine-		Liu, SX., see Li, Y.S.	24 (2000) 551
matic mixing of two fluids in a 2D		Luoma, J.A. and V.R. Voller, An explicit	21 (2000) 551
enclosure	24 (2000) 199	scheme for tracking the filling front during	
Ismail, G.A.F. and I.H. Ibrahim, Erratum to:	, , ,	polymer mold filling	24 (2000) 575
"New efficient second derivative multistep			
methods for stiff systems" [Appl. Math.		Maier, R.S., see Bernard, R.S.	24 (2000) 215
Modelling 23 (1999) 279-288]	24 (2000) 437	Malmborg, C.J. and K. Al-Tassan, An in-	, ,
		tegrated performance model for order-	
James, I.D., A high-performance explicit		picking systems with randomized storage	24 (2000) 95
vertical advection scheme for ocean		Malmborg, C.J., Current modeling practices	
models: how PPM can beat the CFL		in bank courier scheduling	24 (2000) 315
condition	24 (2000) 1	Markatos, N.C., see Liakos, H.H.	24 (2000) 419
Jazbec, M., D.F. Fletcher and B.S. Haynes,		Markatos, N.C., see Papakonstantinou, K.A.	24 (2000) 477
Simulation of the ignition of lean methane		Mat, M.D., see Ilegbusi, O.J.	24 (2000) 199
mixtures using CFD modelling and a		Mayer, J.R.R., AV. Phan and G. Cloutier,	
reduced chemistry mechanism	24 (2000) 689	Prediction of diameter errors in bar turn-	
Jennings, M.J., see Hill, J.M.	24 (2000) 715	ing: a computationally effective model	24 (2000) 943
Jiang, L., see Cao, Y.J.	24 (2000) 931	Mehrabian, M.A. and R. Poulter, Hydro-	
Joseph, S.D., see Fletcher, D.F.	24 (2000) 165	dynamics and thermal characteristics of	

corrugated channels: computational ap- proach	24 (2000) 343	Smith, I.M., see Farouk, M.I.	24 (2000) 779
Melnik, K.N., see Melnik, R.V.N.	24 (2000) 147	Tai, KY., see Wang, KH.	24 (2000) 807
Melnik, R.V.N. and K.N. Melnik, Modelling		Taylor, G.A., see Fallah, N.A.	24 (2000) 439
dynamics of piezoelectric solids in the		Tucker, P.G. and Z. Pan, A Cartesian cut cell	
two-dimensional case	24 (2000) 147	method for incompressible viscous flow	24 (2000) 591
Mengi, Y., see Kocak, S.	24 (2000) 607	Turner, I.W., see Zhao, H.	24 (2000) 183
Milman, M. and W. Petrick, A note on the			
solution to a common thermal network		Vasseur, C., see Zeng, X.	24 (2000) 969
problem encountered in heat-transfer		Voller, V.R., see Luoma, J.A.	24 (2000) 575
analysis of spacecraft	24 (2000) 861	Vu To, D., see Hill, J.M.	24 (2000) 715
Niclasen, D.A., see Blackburn, H.M.	24 (2000) 795	Wang, KH. and CC. Kuo, Cost and	
		probabilistic analysis of series systems	
Orenga, P., see Bosseur, F.	24 (2000) 73	with mixed standby components	24 (2000) 957
Ostoja-Starzewski, M., see Castro, J.	24 (2000) 523	Wang, KH. and JC. Ke, A recursive method to the optimal control of an	
Pan, Z., see Tucker, P.G.	24 (2000) 591	M/G/1 queueing system with finite capa-	
Papakonstantinou, K.A., C.T. Kiranoudis		city and infinite capacity	24 (2000) 899
and N.C. Markatos, Computational ana-		Wang, KH. and KY. Tai, A queueing	
lysis of thermal comfort: the case of the		system with queue-dependent servers and	
archaeological museum of Athens	24 (2000) 477	finite capacity	24 (2000) 807
Petrick, W., see Milman, M.	24 (2000) 861	Wang, P.P., see Gray, W.J.	24 (2000) 391
Phan, AV., see Mayer, J.R.R.	24 (2000) 943	Wang, SG., see Hsu, PT.	24 (2000) 235
Phillips, M.D. and B.R. Cho, Modelling of		Whalley, R. and M. Ebrahimi, The regulation	
optimal specification regions	24 (2000) 327	of mechanical drive systems	24 (2000) 247
Plaice, J., see Hébert, F.	24 (2000) 677	Williams, K.A., see Hill, J.M.	24 (2000) 715
Poulter, R., see Mehrabian, M.A.	24 (2000) 343	Wu, J., see Blackburn, H.M.	24 (2000) 795
Pratap, R., see Kulkarni, S.S.	24 (2000) 113	Wu, Q.H., see Cao, Y.J.	24 (2000) 931
Roberts, S., see Zoppou, C.	24 (2000) 457	Yu, YX., see Li, Y.S.	24 (2000) 551
Robson, B.J., see Hearn, C.J.	24 (2000) 843	Yung, K.S., see Lee, J.H.W.	24 (2000) 263
Rosendahl, L., Using a multi-parameter par-			
ticle shape description to predict the mo-		Zeng, X., C. Vasseur and F. Fayala, Model-	
tion of non-spherical particle shapes in		ing microgeometric structures of porous	
swirling flow	24 (2000) 11	media with a predominant axis for pre-	
Roy, A.B., see Das, A.	24 (2000) 511	dicting diffusive flow in capillaries	24 (2000) 969
Rudman, M., see Blackburn, H.M.	24 (2000) 795	Zhang, K. and P. Dong, A computer code for	
		simulating hyper-concentrated sediment	
Sarker, R. and A. Haque, Optimization of		motions in steady and unsteady flows	24 (2000) 495
maintenance and spare provisioning pol-		Zhang, W. and K. Huseyin, On the relation	
icy using simulation	24 (2000) 751	between the methods of averaging and	
Scott, M., see Gray, W.J.	24 (2000) 391	normal forms	24 (2000) 279
Seatzu, C., Decentralized controllers design		Zhao, H. and I.W. Turner, The use of a	
for open-channel hydraulic systems via		coupled computational model for study-	
eigenstructure assignment	24 (2000) 915	ing the microwave heating of wood	24 (2000) 183
Segall, R.S., Some quantitative methods for		Zhou, YW. and HS. Lau, An economic	
determining capacities and locations of		lot-size model for deteriorating items with	
military emergency medical facilities	24 (2000) 365	lot-size dependent replenishment cost and	
Sharif, M.A.R., see Hadji, L.	24 (2000) 733	time-varying demand	24 (2000) 761
Służalec, A., Stochastic finite element analysis	24 (2000) 451	Zoppou, C. and S. Roberts, Numerical solu-	
of two-dimensional eddy current problems	24 (2000) 401	tion of the two-dimensional unsteady dam	24 (2020) 455
Smaoui, N. and R.B. Gharbi, Using Karhu-		break	24 (2000) 457
nen-Loéve decomposition and artificial		Zribi, M., M. Karkoub and L. Huang, Mod-	
neural network to model miscible fluid	24 (2000) 667	elling and control of two robotic manip-	24 (2000) 991
displacement in porous media	24 (2000) 657	ulators handling a constrained object	24 (2000) 881





Applied Mathematical Modelling 24 (2000) 991-1004

MATHEMATICAL MODELLING

www.elsevier.nl/locate/apm

Subject Index to Volume 24

Accelerated constant stiffness iteration		Aquaculture	
Efficient and reliable solutions of static and dynamic nonlinear structural mechanics problems by an integrated numerical approach using DQFEM and direct time integration with accelerated equilibrium iteration schemes, C.N. Chen	24 (2000) 637	An optimal trace zinc biomonitor (Haliotis diversicolor supertexta) control system design in aquacultural ecosystems, CM. Liao, BC. Chen, MC. Lin and JW. Chen Asymptotic solutions	24 (2000) 27
Accuracy estimates Modelling dynamics of piezoelectric solids in the two-dimensional case, R.V.N. Melnik and K.N. Melnik	24 (2000) 147	Asymptotic solutions for mode II dynamic rupture with nonlinear damping, Fan Jiashen and Fan Lei	24 (2000) 407
Adaptive control Modelling and control of two robotic manipulators handling a constrained object,	21(2000) 117	Availability Cost and probabilistic analysis of series systems with mixed standby components, K.H. Wang and C.C. Kuo	24 (2000) 957
M. Zribi, M. Karkoub and L. Huang Adsorption Dynamic model for predicting dust-borne	24 (2000) 881	Averaging techniques On the relation between the methods of averaging and normal forms, W. Zhang and K. Huseyin	24 (2000) 279
odour concentrations in ventilated animal housing, CM. Liao, JS. Chen and JW. Chen Advection schemes	24 (2000) 131	Bank courier Current modeling practices in bank courier scheduling, C.J. Malmborg	24 (2000) 315
A high-performance explicit vertical advec- tion scheme for ocean models: how PPM can beat the CFL condition, I.D. James	24 (2000) 1	Bifurcation Chaos in a three dimensional neural network, A. Das, A.B. Roy and P. Das Bioaccumulation	24 (2000) 511
Airborne dust Dynamic model for predicting dust-borne odour concentrations in ventilated animal housing, CM. Liao, JS. Chen and JW. Chen	24 (2000) 131	An optimal trace zinc biomonitor (Haliotis diversicolor supertexta) control system design in aquacultural ecosystems, CM. Liao, BC. Chen, MC. Lin and JW. Chen	24 (2000) 27
Analytical solutions		Biomass energy	
Magnetic saturation and steady-state analysis of electrical motors, F.M. Atay	24 (2000) 827	A CFD based combustion model of an entrained flow biomass gasifier, D.F.	

An optimal trace zinc biomonitor (Haliotis diversicolor supertexta) control system design in aquacultural ecosystems, CM. Liao, BC. Chen, MC. Lin and JW. Chen 24 (2000) 27 Blade element A hybrid method for simulation of axial flow impeller driven mixing vessels, H.M. Cartesian grids Cartesian cut cell method for incompressible viscous flow, P.G. Tucker and Z. Pan 24 (2000) 27 Cavity wall impact Studies on the dynamics of a supercavitating	2000) 365 2000) 591 2000) 113
An optimal trace zinc biomonitor (Haliotis diversicolor supertexta) control system design in aquacultural ecosystems, CM. Liao, BC. Chen, MC. Lin and JW. Chen 24 (2000) 27 Blade element A hybrid method for simulation of axial flow impeller driven mixing vessels, H.M. Blackburn, J.R. Elston, D.A. Niclasen, M. Rudman and J. Wu Cartesian grids A Cartesian cut cell method for incompressible viscous flow, P.G. Tucker and Z. Pan Cavity wall impact Studies on the dynamics of a supercavitating projectile, S.S. Kulkarni and R. Pratap 24 (2000) 795 Boundary finite element	2000) 591
A hybrid method for simulation of axial flow impeller driven mixing vessels, H.M. Blackburn, J.R. Elston, D.A. Niclasen, M. Rudman and J. Wu Cavity wall impact Studies on the dynamics of a supercavitating projectile, S.S. Kulkarni and R. Pratap 24 (2000) 795 Boundary finite element Cavity wall impact Studies on the dynamics of a supercavitating projectile, S.S. Kulkarni and R. Pratap 24 (2000) 795	
A hybrid method for simulation of axial flow impeller driven mixing vessels, H.M. Blackburn, J.R. Elston, D.A. Niclasen, M. Rudman and J. Wu Studies on the dynamics of a supercavitating projectile, S.S. Kulkarni and R. Pratap 24 (2000) 795 Boundary finite element CFD	2000) 113
Boundary finite element	
Using a multi-narameter narticle chang de-	
An integral method to compute guided modes of an optical coupler in the vectorial case, C. Bekkey and R. Diellouli 24 (2000) 697	2000) 11
Boundary-layers Computational analysis of thermal comfort: the case of the archaeological museum of	
Modelling a bottom diurnal boundary layer Athens, K.A. Papakonstantinou, C.T.	2000) 477
Boussinesq equations duced chemistry mechanism, M. Jazbec, D.F. Fletcher and B.S. Haynes 24 (2000) 689
Numerical modelling of multi-directional irregular waves through breakwaters, Y.S. Li, SX. Liu, YX. Yu and GZ. Lai 24 (2000) 551	2000) 007
Breakwaters A CFD based combustion model of an entrained flow biomass gasifier, D.F.	
Numerical modelling of multi-directional irregular waves through breakwaters, Y.S. Li, SX. Liu, YX. Yu and GZ. Lai Fletcher, B.S. Haynes, F.C. Christo and S.D. Joseph 24 (Chaos	2000) 165
Bubbles Chaos in a three dimensional neural network,	
plumes, R.S. Bernard, R.S. Maier and	2000) 511
1.1. Faivey 24 (2000) 215	
Bubble plumes A CFD based combustion model of an entrained flow biomass gasifier, D.F. A simple computational model for bubble Fletcher, B.S. Haynes, F.C. Christo and S.D. Joseph 24 (2000) 165
plumes, R.S. Bernard, R.S. Maier and H.T. Falvey 24 (2000) 215 Computational fluid dynamics	2000, 103
Buoyancy driven flow Analysis of three-dimensional flow in a cy-	
Computation of the turbulent plane plume lindrical sediment oxygen demand chamusing the $k - \epsilon - t^2 - \gamma$ model, K. Kalita, A. ber, J.H.W. Lee, C.P. Kuang and K.S.	2000) 263

Conformal mapping		pacity and infinite capacity, K.H. Wang and J.C. Ke	24 (2000) 899
Design of hydraulic structures with two in- termediate filters, M.I. Farouk and I.M. Smith	24 (2000) 779	Cost-benefit	21(2000)
Connection degree	24 (2000) 777	Cost and probabilistic analysis of series sys- tems with mixed standby components, K.H. Wang and C.C. Kuo	24 (2000) 957
Modeling microgeometric structures of por- ous media with a predominant axis for		Coupled chemistry-hydrodynamics	24 (2000) 737
predicting diffusive flow in capillaries, X. Zeng, C. Vasseur and F. Fayala	24 (2000) 969	Simulation of the ignition of lean methane mixtures using CFD modelling and a re-	
Constrained multiple robots		duced chemistry mechanism, M. Jazbec, D.F. Fletcher and B.S. Haynes	24 (2000) 689
Modelling and control of two robotic ma- nipulators handling a constrained object, M. Zribi, M. Karkoub and L. Huang	24 (2000) 881	Courant number	
Contact pressure		A high-performance explicit vertical advec- tion scheme for ocean models: how PPM can beat the CFL condition, I.D. James	24 (2000) 1
Ring plate on a transversely isotropic elastic halfspace, S.J. Antony and K. Chandra- shekhara	24 (2000) 55	Cross-sections	
Control	24 (2000) 33	Modeling microgeometric structures of por- ous media with a predominant axis for predicting diffusive flow in capillaries,	
The regulation of mechanical drive systems, R. Whalley and M. Ebrahimi Chaos in a three dimensional neural network.	24 (2000) 247	X. Zeng, C. Vasseur and F. Fayala Curve sawing	24 (2000) 969
A. Das, A.B. Roy and P. Das A recursive method to the optimal control of an M/G/1 queueing system with finite capacity and infinite capacity, K.H. Wang	24 (2000) 511	Mathematical modeling of curve sawing techniques for lumber industry, F. Hébert, F. Grondin and J. Plaice	24 (2000) 677
and J.C. Ke	24 (2000) 899	Cut cells	
Corner points Modelling dynamics of piezoelectric solids in		A Cartesian cut cell method for incom- pressible viscous flow, P.G. Tucker and Z. Pan	24 (2000) 591
the two-dimensional case, R.V.N. Melnik and K.N. Melnik	24 (2000) 147	Cylindrical chamber flow	24 (2000) 371
Corrugation angle		Analysis of three-dimensional flow in a cylind- rical sediment oxygen demand chamber,	
Hydrodynamics and thermal characteristics of corrugated channels: computational		J.H.W. Lee, C.P. Kuang and K.S. Yung	24 (2000) 263
approach, M.A. Mehrabian and R. Poulter	24 (2000) 343	Dam break	
Cost		Numerical solution of the two-dimensional unsteady dam break, C. Zoppou and S. Roberts	24 (2000) 457
A queueing system with queue-dependent servers and finite capacity, K.H. Wang and K.Y. Tai	24 (2000) 807	Decay rates	
A recursive method to the optimal control of an M/G/1 queueing system with finite ca-		The regulation of mechanical drive systems, R. Whalley and M. Ebrahimi	24 (2000) 247

Decentralized control		Displacement profile	
Decentralized controllers design for open- channel hydraulic systems via eigen- structure assignment and C. Seatzu	24 (2000) 915	Ring plate on a transversely isotropic elastic halfspace, S.J. Antony and K. Chandra- shekhara	24 (2000) 55
Deflections of machining systems		Dissolved oxygen	
Prediction of diameter errors in bar turning: a computationally effective model, J.R.R. Mayer, AV. Phan and G. Cloutier	24 (2000) 943	Analysis of three-dimensional flow in a cylindrical sediment oxygen demand chamber, J.H.W. Lee, C.P. Kuang and K.S. Yung	24 (2000) 263
Deposition		Downwelling	
Dynamic model for predicting dust-borne odour concentrations in ventilated animal housing, CM. Liao, JS. Chen and JW. Chen	24 (2000) 131	A high-performance explicit vertical advec- tion scheme for ocean models: how PPM can beat the CFL condition, I.D. James	24 (2000) 1
Deterioration		DQFEM	
An economic lot-size model for deteriorating items with lot-size dependent replenishment cost and time-varying demand, Y.W. Zhou and H.S. Lau	24 (2000) 761	Efficient and reliable solutions of static and dynamic nonlinear structural mechanics problems by an integrated numerical approach using DQFEM and direct time integration with accelerated equilibrium	
Diffusion stretched flames		iteration schemes, C.N. Chen	24 (2000) 637
Modelling of stretched natural gas diffusion flames, H.H. Liakos, M.A. Founti and N.C. Markatos	24 (2000) 419	Dust-borne odour Dynamic model for predicting dust-borne odour concentrations in ventilated animal housing, CM. Liao, JS. Chen and JW.	
Diffusive flow in capillaries		Chen	24 (2000) 131
Modeling microgeometric structures of por- ous media with a predominant axis for predicting diffusive flow in capillaries, X. Zeng, C. Vasseur and F. Fayala	24 (2000) 969	Dynamic stiffness matrix A simple soilstructure interaction model, S. Kocak and Y. Mengi	24 (2000) 607
Dimensional errors		Eddy current problem	
Prediction of diameter errors in bar turn- ing: a computationally effective model, J.R.R. Mayer, AV. Phan and G. Cloutier	24 (2000) 943	Stochastic finite element analysis of two- dimensional eddy current problems, A. Służalec	24 (2000) 401
Directional coupler		Eigenstructure assignment	
An integral method to compute guided modes of an optical coupler in the vectorial case, C. Bekkey and R. Djellouli	24 (2000) 697	Decentralized controllers design for open- channel hydraulic systems via eigen- structure assignment, C. Seatzu	24 (2000) 915
Dispersion		Electromagnetic field	
Simulation of homogeneous and incompressible Çinlar flows, M. Çağlar	24 (2000) 297	Stochastic finite element analysis of two- dimensional eddy current problems, A. Służalec	24 (2000) 401

Electro-mechanical interactions		Explicit predictor-corrector iteration	
Modelling dynamics of piezoelectric solids in the two-dimensional case, R.V.N. Melnik and K.N. Melnik	24 (2000) 147	Efficient and reliable solutions of static and dynamic nonlinear structural me- chanics problems by an integrated numerical approach using DQFEM and	
ELS model		direct time integration with accelerated equilibrium iteration schemes, C.N.	
An economic lot-size model for deteriorating items with lot-size dependent replenishment cost and time-varying demand, Y.W. Zhou and H.S. Lau	24 (2000) 761	Chen Facility location	24 (2000) 637
Engineering design optimization		Some quantitative methods for determi- ning capacities and locations of military emergency medical facilities,	
An evolutionary programming approach to mixed-variable optimization problems, Y.J. Cao, L. Jiang and Q.H. Wu	24 (2000) 931	R.S. Segall Filmwise condensation	24 (2000) 365
Enthalpy method Spherical solidification by the enthalpy		An inverse problem approach for estimating the wall heat flux in filmwise condensation on a vertical surface with variable heat	
method and the heat balance integral method, J. Caldwell and CC. Chan	24 (2000) 45	flux and body force convection, PT. Hsu, SG. Wang and TY. Li	24 (2000) 235
Entrainment		Finite element	
Computation of the turbulent plane plume using the $k-\epsilon-\overline{t'^2}-\gamma$ model, K. Kalita, A. Dewan and A.K. Dass	24 (2000) 815	Stochastic finite element analysis of two- dimensional eddy current problems, A. Shužalec Comparison of finite element and finite	24 (2000) 401
Environmental hydraulics Analysis of three-dimensional flow in a cy-		volume methods application in geometrically nonlinear stress analysis, N.A. Fallah, C. Bailey, M. Cross and G.A.	
lindrical sediment oxygen demand cham- ber, J.H.W. Lee, C.P. Kuang and K.S. Yung	24 (2000) 263	Taylor Finite element model	24 (2000) 439
Estuaries		Prediction of diameter errors in bar turning: a	
Modelling a bottom diurnal boundary layer and its control of massive alga		computationally effective model, J.R.R. Mayer, AV. Phan and G. Cloutier	24 (2000) 943
blooms in an estuary, C.J. Hearn and B.J. Robson	24 (2000) 843	Finite volume	
Evolutionary programming		Comparison of finite element and finite volume methods application in geometrically nonlinear stress analysis, N.A.	
An evolutionary programming approach to mixed-variable optimization problems, Y.J. Cao, L. Jiang and Q.H. Wu	24 (2000) 931	Fallah, C. Bailey, M. Cross and G.A. Taylor Finite volume method	24 (2000) 439
Explicit			
An explicit scheme for tracking the filling front during polymer mold filling, J.A. Luoma and V.R. Voller	24 (2000) 575	Analysis of three-dimensional flow in a cy- lindrical sediment oxygen demand cham- ber, J.H.W. Lee, C.P. Kuang and K.S. Yung	24 (2000) 263
	_ () = 10		

Flow planes		Gasifier	
Studies on the dynamics of a supercavitating projectile, S.S. Kulkarni and R. Pratap	24 (2000) 113	A CFD based combustion model of an entrained flow biomass gasifier, D.F. Fletcher, B.S. Haynes, F.C. Christo and	
Footing-footing interaction		S.D. Joseph	24 (2000) 165
A simple soilstructure interaction model, S. Kocak and Y. Mengi	24 (2000) 607	Geometrically nonlinear Comparison of finite element and finite vo-	
Free surface		lume methods application in geometrically nonlinear stress analysis, N.A. Fallah,	
An explicit scheme for tracking the filling front during polymer mold filling, J.A.		C. Bailey, M. Cross and G.A. Taylor	24 (2000) 439
Luoma and V.R. Voller	24 (2000) 575	Geophysical flow	
Freezing point of seawater		Resolution by Galerkin method with a special basis of a geophysical flow in open sea: a	
Penetrative convection in a horizontal layer of		Calvi's bay simulation, F. Bosseur, B. Di Martino and P. Orenga	24 (2000) 73
seawater near its freezing point, L. Hadji and M.A.R. Sharif	24 (2000) 733	Waterio and L. Stenga	24 (2000) 73
Evaguanay		Global optimization	
Frequency		An evolutionary programming approach to	
The regulation of mechanical drive systems, R. Whalley and M. Ebrahimi	24 (2000) 247	mixed-variable optimization problems, Y.J. Cao, L. Jiang and Q.H. Wu	24 (2000) 931
A simple soilstructure interaction model, S. Kocak and Y. Mengi	24 (2000) 607	Global secant relaxation	
Fuzzy theory		Efficient and reliable solutions of static and dynamic nonlinear structural mechanics	
Modeling microgeometric structures of por- ous media with a predominant axis for predicting diffusive flow in capillaries,		problems by an integrated numerical ap- proach using DQFEM and direct time integration with accelerated equilibrium	
X. Zeng, C. Vasseur and F. Fayala	24 (2000) 969	iteration schemes, C.N. Chen	24 (2000) 637
Galerkin method		Guided modes	
Resolution by Galerkin method with a special basis of a geophysical flow in open sea: a Calvi's bay simulation, F. Bosseur, B. Di		An integral method to compute guided modes of an optical coupler in the vectorial case, C. Bekkey and R. Djellouli	24 (2000) 697
Martino and P. Orenga	24 (2000) 73	C. Berkey and R. Djenoun	24 (2000) 097
Gas-particle flow		Heat balance integral method	
Using a multi-parameter particle shape description to predict the motion of non-spherical particle shapes in swirling flow,	24 (2000) 11	Spherical solidification by the enthalpy method and the heat balance integral method, J. Caldwell and CC. Chan	24 (2000) 45
L. Rosendahl	24 (2000) 11	Heat flux	
Gasification		An inverse problem approach for estimating	
A CFD based combustion model of an entrained flow biomass gasifier, D.F. Fletcher, B.S. Haynes, F.C. Christo and		the wall heat flux in filmwise condensation on a vertical surface with variable heat flux and body force convection, PT. Hsu,	
S.D. Joseph	24 (2000) 165	SG. Wang and TY. Li	24 (2000) 235

Heterogeneous		Information technology	
A queueing system with queue-dependent servers and finite capacity, K.H. Wang and K.Y. Tai	24 (2000) 807	Current modeling practices in bank courier scheduling, C.J. Malmborg	24 (2000) 315
Heuristic search		Integral method	
Current modeling practices in bank courier scheduling, C.J. Malmborg	24 (2000) 315	An integral method to compute guided modes of an optical coupler in the vectorial case, C. Bekkey and R. Djellouli	24 (2000) 697
High concentration		Interleaving	
A computer code for simulating hyper-con- centrated sediment motions in steady and unsteady flows, K. Zhang and P. Dong	24 (2000) 495	An integrated performance model for order- picking systems with randomized storage, C.J. Malmborg and K. Al-Tassan	24 (2000) 95
Hollow piezoceramic cylinders		Intermediate filters	
Modelling dynamics of piezoelectric solids in the two-dimensional case, R.V.N. Melnik and K.N. Melnik	24 (2000) 147	Design of hydraulic structures with two inter- mediate filters, M.I. Farouk and I.M. Smith Intermittency	24 (2000) 779
Homotopy A note on the solution to a common thermal network problem encountered in heat-transfer analysis of spacecraft, M. Milman and W. Petrick	24 (2000) 861	Computation of the turbulent plane plume using the $k-\epsilon-\bar{t^2}-\gamma$ model, K. Kalita, A. Dewan and A.K. Dass	24 (2000) 815
Hydraulic structures Design of hydraulic structures with two intermediate filters. M. I. Farouk and I. M. Smith	24 (2000) 770	A Cartesian cut cell method for incom- pressible viscous flow, P.G. Tucker and Z. Pan	24 (2000) 591
	24 (2000) 779	Inventory	
Ignition Simulation of the ignition of lean methane mixtures using CFD modelling and a reduced chemistry mechanism, M. Jazbec, D.F. Fletcher and B.S. Haynes	24 (2000) 689	Optimization of maintenance and spare provisioning policy using simulation, R. Sarker and A. Haque Inverse model	24 (2000) 751
Impact dynamics		An inverse problem approach for estimating	
Studies on the dynamics of a supercavitating projectile, S.S. Kulkarni and R. Pratap	24 (2000) 113	the wall heat flux in filmwise condensation on a vertical surface with variable heat flux and body force convection, PT. Hsu, SG. Wang and TY. Li	24 (2000) 235
Impeller		Ladles	
A hybrid method for simulation of axial flow impeller driven mixing vessels, H.M. Blackburn, J.R. Elston, D.A. Niclasen, M. Rudman and J. Wu	24 (2000) 795	A simple computational model for bubble plumes, R.S. Bernard, R.S. Maier and H.T. Falvey	24 (2000) 215
Implicit		Laminar flows	
An explicit scheme for tracking the filling front during polymer mold filling, J.A. Luoma and V.R. Voller	24 (2000) 575	A Cartesian cut cell method for incom- pressible viscous flow, P.G. Tucker and Z. Pan	24 (2000) 591

Analysis of three-dimensional flow in a Some quantitative methods for determining	
K.S. Yung 24 (2000) 263	(2000) 365
Layered soil medium Matrix impedance models	
The regulation of mechanical drive systems, A simple soilstructure interaction model, S. Kocak and Y. Mengi The regulation of mechanical drive systems, R. Whalley and M. Ebrahimi 24 (2000) 607 Maxwell system	(2000) 247
Lean combustion	
Simulation of the ignition of lean methane mixtures using CFD modelling and a reduced chemistry mechanism, M. Jazbec, An integral method to compute guided modes of an optical coupler in the vectorial case, C. Bekkey and R. Djellouli 24	(2000) 697
D.F. Fletcher and B.S. Haynes 24 (2000) 689 Mechanism reduction	
Less than unit load Simulation of the ignition of lean methane mixtures using CFD modelling and a reduced chemistry mechanism, M. Jazbec,	
· · · · · · · · · · · · · · · · · · ·	(2000) 689
C.J. Malmborg and K. Al-Tassan 24 (2000) 95 Microgeometric structure	
Lyapunov exponent Modeling microgeometric structures of por-	
Chaos in a three dimensional neural network, A. Das, A.B. Roy and P. Das 24 (2000) 511 ous media with a predominant axis for predicting diffusive flow in capillaries, X. Zeng, C. Vasseur and F. Fayala	(2000) 969
M/G/1 queue Microscopic characteristics	
A recursive method to the optimal control of an M/G/1 queueing system with finite capacity and infinite capacity, K.H. Wang and J.C. Ke Hydrodynamics and thermal characteristics of corrugated channels: computational approach, M.A. Mehrabian and R. Poulter Poulter 24	(2000) 343
Maintenance Mixed variables	
Optimization of maintenance and spare provisioning policy using simulation, R. Sarker and A. Haque An evolutionary programming approach to mixed-variable optimization problems, Y.J. Cao, L. Jiang and Q.H. Wu 24	(2000) 931
Mathematical modelling Mixing	
Mathematical modeling of curve sawing techniques for lumber industry, F. Hébert, F. Grondin and J. Plaice 24 (2000) 677 Modeling principles and the plumes, R.S. Bernard, R.S. Maier and H.T. Falvey 24	(2000) 215
ous media with a predominant axis for predicting diffusive flow in capillaries, X. Zeng, C. Vasseur and F. Fayala A hybrid method for simulation of axial flow impeller driven mixing vessels, H.M. Blackburn, J.R. Elston, D.A. Niclasen, M. Rudman and I. Wu.	(2000) 795
Magnetic saturation and steady-state analysis	(2000) 193
Modelling and control of two robotic	
manipulators handling a constrained Asymptotic solutions for mode II dynamic object, M. Zribi, M. Karkoub and L. Huang 24 (2000) 881 Jiashen and Fan Lei 24	(2000) 407

Models		Nonlinear equation of state	
A simple computational model for bubble plumes, R.S. Bernard, R.S. Maier and H.T. Falvey	24 (2000) 215	Penetrative convection in a horizontal layer of seawater near its freezing point, L. Hadji and M.A.R. Sharif	24 (2000) 733
Molding		Nonlinear systems	
An explicit scheme for tracking the filling front during polymer mold filling, J.A. Luoma and V.R. Voller	24 (2000) 575	On the relation between the methods of averaging and normal forms, W. Zhang and K. Huseyin	24 (2000) 279
Mollusc		Non-spherical particles	
An optimal trace zinc biomonitor (Haliotis diversicolor supertexta) control system design in aquacultural ecosystems, CM. Liao, BC. Chen, MC. Lin and JW. Chen	24 (2000) 27	Using a multi-parameter particle shape de- scription to predict the motion of non- spherical particle shapes in swirling flow, L. Rosendahl	24 (2000) 11
Monte Carlo simulation		Normal forms	
Particle sieving in a random fiber network, J. Castro and M. Ostoja-Starzewski A random-walk pseudorandom byte generator, D.A. Dahl, C.L. Atwood and R.A.	24 (2000) 523	On the relation between the methods of averaging and normal forms, W. Zhang and K. Huseyin	24 (2000) 279
LaViolette	24 (2000) 771	Numerical stimulation	
Multi-directional irregular waves Numerical modelling of multi-directional irregular waves through breakwaters, Y.S. Li, SX. Liu, YX. Yu and GZ. Lai	24 (2000) 551	A computer code for simulating hyper-con- centrated sediment motions in steady and unsteady flows, K. Zhang and P. Dong	24 (2000) 495
	24 (2000) 331		
Multilayered anisotropic halfspace Ring plate on a transversely isotropic elastic halfspace, S.J. Antony and K. Chandrashekhara	24 (2000) 55	A high-performance explicit vertical advec- tion scheme for ocean models: how PPM can beat the CFL condition, I.D. James	24 (2000) 1
Multi-parameter shape function			
Using a multi-parameter particle shape de- scription to predict the motion of non- spherical particle shapes in swirling flow, L. Rosendahl	24 (2000) 11	Dynamic model for predicting dust-borne odour concentrations in ventilated animal housing, CM. Liao, JS. Chen and JW. Chen Open-channel hydraulic systems	24 (2000) 131
Natural ventilation		Decentralized controllers design for open-	
Computational analysis of thermal comfort: the case of the archaeological museum of Athens, K.A. Papakonstantinou, C.T. Kiranoudis and N.C. Markatos	24 (2000) 477	channel hydraulic systems via eigen- structure assignment, C. Seatzu Optimal feedback control	24 (2000) 915
	24 (2000) 4//	An optimal trace zinc biomonitor (Haliotis	
Nonlinear damping Asymptotic solutions for mode II dynamic rupture with nonlinear damping, Fan Jiashen and Fan Lei	24 (2000) 407	diversicolor supertexta) control system design in aquacultural ecosystems, CM. Liao, BC. Chen, MC. Lin and JW. Chen	24 (2000) 27

Optimization		Phytoplankton	
Modelling of optimal specification regions, M.D. Phillips and B.R. Cho A queueing system with queue-dependent servers and finite capacity, K.H. Wang and K.Y. Tai	24 (2000) 327 24 (2000) 807	Modelling a bottom diurnal boundary layer and its control of massive alga blooms in an estuary, C.J. Hearn and B.J. Robson Plate heat exchangers	24 (2000) 843
Optimum			
Optimization of maintenance and spare provisioning policy using simulation, R. Sarker and A. Haque	24 (2000) 751	Hydrodynamics and thermal characteristics of corrugated channels: computational approach, M.A. Mehrabian and R. Poulter	24 (2000) 343
Orderpicking		Poisson line field	
An integrated performance model for order- picking systems with randomized storage, C.J. Malmborg and K. Al-Tassan	24 (2000) 95	Particle sieving in a random fiber network, J. Castro and M. Ostoja-Starzewski	24 (2000) 523
Parallel implementation		Poisson shot-noise	
Efficient and reliable solutions of static and dynamic nonlinear structural mechanics problems by an integrated numerical ap- proach using DQFEM and direct time		Simulation of homogeneous and in- compressible Çinlar flows, M. Çağlar Polymer	24 (2000) 297
integration with accelerated equilibrium iteration schemes, C.N. Chen Parametric model	24 (2000) 637	An explicit scheme for tracking the filling front during polymer mold filling, J.A. Luoma and V.R. Voller	24 (2000) 575
A simple soilstructure interaction model, S. Kocak and Y. Mengi	24 (2000) 607	Porous media	
Penetrative convection Penetrative convection in a horizontal layer of seawater near its freezing point, L. Hadji	04 (2000) 722	Modeling microgeometric structures of porous media with a predominant axis for predicting diffusive flow in capillaries, X. Zeng, C. Vasseur and F. Fayala	24 (2000) 969
and M.A.R. Sharif	24 (2000) 733	Predominant axis	
Percolation Particle sieving in a random fiber network, J. Castro and M. Ostoja-Starzewski	24 (2000) 523	Modeling microgeometric structures of por- ous media with a predominant axis for predicting diffusive flow in capillaries, X. Zeng, C. Vasseur and F. Fayala	24 (2000) 969
Periodic cell		Desired to the second	
Hydrodynamics and thermal characteristics of corrugated channels: computational approach, M.A. Mehrabian and R. Poulter	24 (2000) 343	Projectile trajectory Studies on the dynamics of a supercavitating projectile, S.S. Kulkarni and R. Pratap	24 (2000) 113
Periodicity		Public buildings	
Hydrodynamics and thermal characteristics of corrugated channels: computational approach, M.A. Mehrabian and R. Poul- ter	24 (2000) 343	Computational analysis of thermal comfort: the case of the archaeological museum of Athens, K.A. Papakonstantinou, C.T. Kiranoudis and N.C. Markatos	24 (2000) 477

Quality loss function		Rigid diaphragm	
Modelling of optimal specification regions, M.D. Phillips and B.R. Cho	24 (2000) 327	A simple soilstructure interaction model, S. Kocak and Y. Mengi	24 (2000) 607
Queue-dependent servers		Ring plate	
A queueing system with queue-dependent servers and finite capacity, K.H. Wang and K.Y. Tai	24 (2000) 807	Ring plate on a transversely isotropic elastic halfspace, S.J. Antony and K. Chandra- shekhara	24 (2000) 55
Random fiber network		Saturation	
Particle sieving in a random fiber network, J. Castro and M. Ostoja-Starzewski	24 (2000) 523	Magnetic saturation and steady-state analysis of electrical motors, F.M. Atay	24 (2000) 827
Random numbers		Sawmill simulation	
A random-walk pseudorandom byte generator, D.A. Dahl, C.L. Atwood and R.A. LaViolette	24 (2000) 771	Mathematical modeling of curve sawing techniques for lumber industry, F. Hébert, F. Grondin and J. Plaice	24 (2000) 677
Randomized storage		Screening procedures	
An integrated performance model for orderpicking systems with randomized storage, C.J. Malmborg and K. Al-Tassan	24 (2000) 95	Modelling of optimal specification regions, M.D. Phillips and B.R. Cho	24 (2000) 327
Reaction rates		Sediment motions	
Modelling of stretched natural gas diffusion flames, H.H. Liakos, M.A. Founti and N.C. Markatos	24 (2000) 419	A computer code for simulating hyper-con- centrated sediment motions in steady and unsteady flows, K. Zhang and P. Dong	24 (2000) 495
Recursive method		Sediment oxygen demand	
A recursive method to the optimal control of an M/G/I queueing system with finite ca- pacity and infinite capacity, K.H. Wang and J.C. Ke	24 (2000) 889	Analysis of three-dimensional flow in a cylindrical sediment oxygen demand chamber, J.H.W. Lee, C.P. Kuang and K.S. Yung	24 (2000) 263
Reliability		Sequencing and scheduling	
Cost and probabilistic analysis of series systems with mixed standby components, K.H. Wang and C.C. Kuo	24 (2000) 957	Current modeling practices in bank courier scheduling, C.J. Malmborg	24 (2000) 315
Reservoirs		Series system	
A simple computational model for bubble plumes, R.S. Bernard, R.S. Maier and H.T. Falvey	24 (2000) 215	Cost and probabilistic analysis of series sys- tems with mixed standby components, K.H. Wang and C.C. Kuo	24 (2000) 957
Riemann solvers		Service operations	
Numerical solution of the two-dimensional unsteady dam break, C. Zoppou and S. Roberts	24 (2000) 457	Some quantitative methods for determining capacities and locations of military emergency medical facilities, R.S. Segall	24 (2000) 365

Shallow water model		Stochastic flows	
Resolution by Galerkin method with a special basis of a geophysical flow in open sea: a Calvi's bay simulation, F. Bosseur, B. Di Martino and P. Orenga	24 (2000) 73	Simulation of homogeneous and in- compressible Çinlar flows, M. Çağlar Stochastic simulation	24 (2000) 297
Shallow water waves Numerical solution of the two-dimensional		A random-walk pseudorandom byte generator, D.A. Dahl, C.L. Atwood and R.A. LaViolette	24 (2000) 771
unsteady dam break, C. Zoppou and S. Roberts	24 (2000) 457	Stock management	
Simulation		An integrated performance model for order- picking systems with randomized storage,	04 (0000) 05
Simulation of homogeneous and in- compressible Çinlar flows, M. Çağlar Optimization of maintenance and spare pro-	24 (2000) 297	C.J. Malmborg and K. Al-Tassan Supercavitating projectile	24 (2000) 95
visioning policy using simulation, R. Sar- ker and A. Haque A hybrid method for simulation of axial flow	24 (2000) 751	Studies on the dynamics of a supercavitating projectile, S.S. Kulkarni and R. Pratap	24 (2000) 113
impeller driven mixing vessels, H.M. Blackburn, J.R. Elston, D.A. Niclasen,		Supercavitation	
M. Rudman and J. Wu Soil-structure interaction	24 (2000) 795	Studies on the dynamics of a supercavitating projectile, S.S. Kulkarni and R. Pratap	24 (2000) 113
A simple soilstructure interaction model, S.		Supplementary variable	
Kocak and Y. Mengi Spare parts	24 (2000) 607	A recursive method to the optimal control of an M/G/1 queueing system with finite ca- pacity and infinite capacity, K.H. Wang	
Optimization of maintenance and spare provisioning policy using simulation, R. Sarker and A. Haque	24 (2000) 751	and J.C. Ke Swirl flow	24 (2000) 889
Spherical solidification		A CFD based combustion model of an entrained flow biomass gasifier, D.F. Fletcher, B.S. Haynes, F.C. Christo and	
Spherical solidification by the enthalpy method and the heat balance integral method, J. Caldwell and CC. Chan	24 (2000) 45	S.D. Joseph Thermal comfort	24 (2000) 165
Stability		Computational analysis of thermal comfort:	
Studies on the dynamics of a supercavitating projectile, S.S. Kulkarni and R. Pratap	24 (2000) 113	the case of the archaeological museum of Athens, K.A. Papakonstantinou, C.T. Kiranoudis and N.C. Markatos	24 (2000) 477
Steady-state solution		Thermal network	
A note on the solution to a common thermal network problem encountered in heat- transfer analysis of spacecraft, M. Milman and W. Petrick	24 (2000) 861	A note on the solution to a common thermal network problem encountered in heat- transfer analysis of spacecraft, M. Milman and W. Petrick	24 (2000) 861
Stochastic analysis		Thermohaline convection	
Stochastic finite element analysis of two- dimensional eddy current problems, A. Shužalec	24 (2000) 401	Penetrative convection in a horizontal layer of seawater near its freezing point, L. Hadji and M.A.R. Sharif	24 (2000) 733

Three-dimensional model		Two-dimensional unsteady flows	
Resolution by Galerkin method with a special basis of a geophysical flow in open sea: a Calvi's bay simulation, F. Bosseur, B. Di Martino and P. Orenga	24 (2000) 73	Numerical solution of the two-dimensional unsteady dam break, C. Zoppou and S. Roberts	24 (2000) 457
Time-varying demand		Two-phase flow model	
An economic lot-size model for deteriorating items with lot-size dependent replenishment cost and time-varying demand, Y.W.		A computer code for simulating hyper-con- centrated sediment motions in steady and unsteady flows, K. Zhang and P. Dong	24 (2000) 495
Zhou and H.S. Lau	24 (2000) 761	Universal motors	
Tracking degree		Magnetic saturation and steady-state analysis of electrical motors, F.M. Atay	24 (2000) 827
Modeling microgeometric structures of porous media with a predominant axis		Unstructured grid	
for predicting diffusive flow in capillaries, X. Zeng, C. Vasseur and F. Fayala	24 (2000) 969	Analysis of three-dimensional flow in a cy- lindrical sediment oxygen demand cham- ber, J.H.W. Lee, C.P. Kuang and K.S.	
Truncated probability distribution		Yung	24 (2000) 263
Modelling of optimal specification regions,		Upwelling	
M.D. Phillips and B.R. Cho Turbulence	24 (2000) 327	A high-performance explicit vertical advec- tion scheme for ocean models: how PPM	
Turvuience		can beat the CFL condition, I.D. James	24 (2000) 1
A simple computational model for bubble plumes, R.S. Bernard, R.S. Maier and		Van der Pol equation	
H.T. Falvey Modelling of stretched natural gas diffusion flames, H.H. Liakos, M.A. Founti and N.C. Markatos	24 (2000) 215 24 (2000) 419	Asymptotic solutions for mode II dynamic rupture with nonlinear damping, Fan Jiashen and Fan Lei	24 (2000) 407
Turbulence model		Variable replenishment cost	
Computation of the turbulent plane plume using the $k-\epsilon-\overline{t^2}-\gamma$ model, K. Kalita, A. Dewan and A.K. Dass	24 (2000) 815	An economic lot-size model for deteriorating items with lot-size dependent replenishment cost and time-varying demand, Y.W. Zhou and H.S. Lau	24 (2000) 761
Turbulent buoyant convection		Vehicle routing	21 (2000) 101
Computational analysis of thermal comfort: the case of the archaeological museum of Athens, K.A. Papakonstantinou, C.T.		Current modeling practices in bank courier scheduling, C.J. Malmborg	24 (2000) 315
Kiranoudis and N.C. Markatos	24 (2000) 477	Vertical surface	
Turning simulation Prediction of diameter errors in bar turning: a		An inverse problem approach for estimating the wall heat flux in filmwise condensation on a vertical surface with variable heat	
computationally effective model, J.R.R.	24 (2000) 042	flux and body force convection, PT. Hsu,	24 (2000) 225
Mayer, AV. Phan and G. Cloutier	24 (2000) 943	SG. Wang and TY. Li	24 (2000) 235

Vertical-mixing

Modelling a bottom diurnal boundary layer and its control of massive alga blooms in an estuary, C.J. Hearn and B.J. Robson

Warehousing

An integrated performance model for orderpicking systems with randomized storage, C.J. Malmborg and K. Al-Tassan

Water column

A high-performance explicit vertical advection scheme for ocean models: how PPM can beat the CFL condition, I.D. James

Water quality

Analysis of three-dimensional flow in a cylindrical sediment oxygen demand chamber, J.H.W. Lee, C.P. Kuang and K.S. Yung

Wave number

A simple soilstructure interaction model, S. Kocak and Y. Mengi

24 (2000) 607

24 (2000) 263

24 (2000) 1

24 (2000) 95

24 (2000) 843

